

METHOD AND DEVICE FOR REDUCING FUEL VAPOR
EMISSIONS

This application is based on provisional
5 application serial number 60/062,550 filed October
20, 1997.

Technical Field

10 This invention relates to a cover for an
automotive fuel tank cap and methods for reducing
the emission of volatile organic compounds (VOCs)
in the form of fuel vapor emissions.

15 Background of the Invention

Automotive vehicle fuel storage systems
typically include filler tubes that extend from
fuel tanks to receptacles formed in vehicle fenders
20 or other exterior body panels. Many such filler
tubes include neck members that are attached to the
distal ends of the tubes and are sometimes provided
with tubular cylindrical fittings with internal
threads. The threaded fittings are configured to
25 receive an externally threaded cylindrical portion
of a fuel tank cap in threaded engagement.

Another common fuel tank cap
configuration includes radially inwardly extending
30 tabs configured to engage flanges that extend
radially outward from filler tubes adjacent their
distal ends.

09748496 132200

It is known for fuel tank caps, i.e., gas caps, to include annular rubber sealing rings. These rings are configured and positioned to make sealing contact with circular rims disposed at the distal ends of filler tubes or filler tube neck members. Contact between the rubber sealing rings and the circular rims prevents volatile fuel vapors from escaping the fuel storage system. It is also known for such rubber sealing rings to deteriorate with age and repeated use and to lose their ability to effectively seal-in fuel vapors. For this reason it is desirable to replace such fuel tank caps at regular intervals to reduce the amount of fuel vapor escaping into the atmosphere. Unfortunately, individual automotive vehicle owners have little incentive to invest the time and money necessary to locate, purchase and install new fuel tank caps. This is especially true in view of the fact that individual automobile owners tend to view vapor emissions from their personal vehicles as being insignificant.

It is also known for such fuel tank caps to be constructed with the automotive vehicle manufacturer's name and/or trademark included in an outer surface of the cap. Unfortunately, the inclusion of the automotive vehicle manufacturer's name and/or trademark does not serve to persuade or remind a vehicle owner to take steps to reduce vapor emissions from the fuel storage system of his or her vehicle.

Most, if not all states have vehicle inspection and maintenance (I&M) programs that

00222T 00404260

encourage and/or force vehicle owners to keep their vehicles running as "clean" as possible. During the early development of the State of Texas' Inspection and Maintenance (I&M) programs, the focus was on inspection rather than maintenance. The question was "how do we get all of the cars to participate in the inspection process?" Neither the EPA, the State of Texas nor any of the other States have directed any appreciable effort to insure compliance by showing members of the public how such programs were in their individual best interests. Most of the I&M program administrators apparently assumed that because it was the law, the motoring public would obediently line up for any form of test that was developed. This assumption turned out to be unwarranted even in the case of the most simple of tail pipe tests, the "Bar84." Even today, despite the almost nation-wide failure of a centralized test known as "I/M 240" and the public's negative reaction to being forced to "go get a test," many program administrators still fail to see the need to actually promote and encourage public participation in such programs.

If any form of mandated automobile testing is to be successful, the public must accept and participate in it. To help reduce tail-pipe emissions, it would be helpful to incorporate a system of recurring reminders into the testing procedures. These reminders can create a public perception that participation will result in actual benefits. To be effective, any I&M program should contain such reminders. To approach 100%

[illegible]

5

15

30

educate the public and to promote the most cost-effective pollution mitigation techniques - especially in cities that the EPA has designated as having unhealthy air. ERCs earned through
5 reduction of mobile emissions, e.g., automobile emissions, are termed mobile emission credits or "MERCs." ERCs and MERCs are measured either in tons of reduced emissions or in dollars per ton of reduced emissions. ERCs and MERCs are awarded to
10 an entity for each ton of emission reduction that the entity can prove that it is responsible for. In addition, ERCs and/or MERCs can be awarded to entities that implement and/or operate certain environmental educational programs.

15

Private and governmental entities sometimes trade ERCs on an open market under the State Implementation Plans. Both "point sources" of pollution and "mobile sources" of pollution
20 benefit from trading MERCs and ERCs. Point sources of pollution are typically harder-hit by requirements to reduce pollution than are mobile sources. Point sources are pollutant-producing entities that exist at discrete stationary physical
25 addresses while mobile sources are pollutant producers, such as automobiles, that move as they emit. The EPA usually monitors point sources closely. The clean-up requirements are more easily enforced against point sources, but place heavy and
30 possibly disproportionate economic burdens on such entities. Most of the cost of point source pollution clean up enforcement is eventually passed on to the purchasing public in the form of price increases.

004456 12200

ERC trading encourages private and governmental entities to continue reducing pollution while easing the economic burden on point sources and thereby reducing costs passed on indirectly to the purchasing public. This is done by encouraging the development and use of lower cost pollution reduction methods through open market trading of pollution-reduction credits. The open market rewards entities that implement low-cost methods of reducing large amounts of pollutant emissions.

What is needed is an inexpensive - or even a profitable way of providing consumers with fuel tank caps that would remind and encourage consumers to renew the caps at regular intervals. What is also needed is a way for governments to deliver messages that would promote public participation in vehicle inspection and maintenance programs.

Brief Description of the Drawings

Figure 1 is a perspective view of a first embodiment of a gas cap cover constructed according to the invention;

Figure 2 is a bottom view of the gas cap cover of Fig. 1;

Figure 3 is a front view of the gas cap cover of Fig. 1;

Figure 4 is a perspective view of a

second embodiment of a gas cap cover constructed according to the invention;

Figure 5 is a bottom view of the gas cap cover of Fig. 4;

Figure 6 is a front view of the gas cap cover of Fig. 4;

Figure 7 is a perspective view of a third embodiment of a gas cap cover constructed according to the invention;

Figure 8 is a bottom view of the gas cap cover of Fig. 7;

Figure 9 is a front view of the gas cap cover of Fig. 7; and

Figure 10 is a perspective view of a fourth embodiment of the gas cap cover constructed according to the invention and engaged with a wrench or "cheater bar".

Detailed Description of Preferred Embodiments

A first embodiment of a fuel tank cap overlay or cover constructed according to the invention is generally indicated at 10 in Figs. 1-3.

A second embodiment of a fuel tank cover is generally indicated at 10' in Figs. 4-6. Reference numerals accompanied by a prime (')

10

20

25

COI

configured to engage at least one surface of the gas cap to allow an operator to apply turning force to the cap through the cover device. As shown in Figures 1-3, the connector detent includes a handle 5 portion 14 shaped to fit over a handle portion of a fuel tank cap. The handle portion 14 is configured to rotationally engage the gas cap handle and cause the gas cap to rotate when the cover is rotated.

10 The shell 12 also includes four retainer tabs 16 that extend integrally and radially inwardly from around a bottom edge 18 of a circumferential sidewall portion 20 of the shell 12. The tabs 16 are positioned to flex upwardly as 15 the cover 10 is pushed over a gas cap. The tabs 16 then snap back to their original inwardly-extending position as the bottom edge 18 of the sidewall 20 passes a circular peripheral edge (or similar structure) of the gas cap, securing the cover 10 on 20 the cap. The entire shell 12, including handle portion 14, sidewall 20 and tabs 16 are integrally formed as a single unitary piece.

A variety of forming methods are known in 25 the art and allow for many and various shapes and sizes of gas cap covers to snap over various sizes and shapes of gas caps. For example, as shown in Figs. 4-6, the second embodiment of the fuel tank cap cover 10' includes a pair of concentric 30 cylindrical protrusions 22 extending "wedding-cake" style from a circular upper surface 24 of the cover 10. The protrusions 22 are configured to fit over lock cylinders of locking-type gas caps and the like. As best shown in Fig. 6, a circumferential

002227 9648460

sidewall 20' of the second embodiment cover 10' includes a "rolled-under" profile 26. In other words, the diameter of the circumferential sidewall 20' decreases gradually from an approximate vertical midpoint 28 of the sidewall 20' to a bottom edge 18' of the sidewall 20', the bottom edge 18' having the smallest sidewall diameter. Similar to the tabs 16 of the first embodiment, the rolled-under portion 26 of the sidewall 20' of the second embodiment is configured to snap into place as the bottom edge 18' of the sidewall 20' passes a circular peripheral edge of the gas cap. This secures the cover 10' onto the cap.

15 In other embodiments, the gas cap cover 10 may be formed to include a storage compartment. The storage compartment may be used to releasably hold a plastic key that is capable of opening a car door.

20 According to the third embodiment of the gas cap shown in Figures 7-9, the cover 10" is configured to accommodate a gas cap having a refueling door or receptacle that opens when a refueling nozzle from an automated or robotic refueling device is inserted into it. Because it overlies the gas cap when installed, the top of the gas cap cover 10" is formed to include a housing 32 for an electromagnetic energy transmitter and/or receiver 34 to aid in directing a robotic refueling device. This would assist fuel-dispensing nozzles controlled by robotic refueling devices to locate and engage the refueling receptacle in the gas cap. The transmitter and/or receive are embedded in the

002221" 95484260

shell 12" of the gas cap cover 10" when the cover 10" is formed as shown in Figures 7 and 8. The gas cap cover 10" is shaped to accommodate a refueling receptacle formed into the gas cap. More specifically, as shown in Figures 7 and 8, a circular upper surface of the cover includes a hole 36 configured to align with and leave uncovered a refueling receptacle in a gas cap to be covered. In other embodiments the transmitter or receiver 10 may be supported in any suitable location in or on the shell 12" of the gas cap cover 10".

As shown in Figure 10, the fourth embodiment of the gas cap cover 10a is configured 15 to include two receptacles 38 configured to receive a pair of tongs 39 extending from a wrench or "cheater bar" 40. Configuring the cover 10a to engage a tool similar to the one shown at 40 in Figure 10 would allow older and infirm vehicle 20 operators to acquire sufficient mechanical advantage to fully secure a gas cap and to remove a tightly secured gas cap. The receptacles 38 are configured to transmit turning forces from the wrench to a gas cap through the cover 10a after the 25 cover is snapped over the gas cap. Such a configuration would reduce VOC by allowing older drivers to screw their gas caps tightly into place without fear of being unable to remove the gas cap at their next fill-up. In other embodiments there 30 may be only a single receptacle, and the receptacle and tool may be of any suitable configuration to provide mechanical advantage.

The cap cover 10 can be constructed from

09748496 122200

one or more of a number of suitable materials to include vinyl. The material making up the cover 10 can be a clear colorless vinyl, a clear colored vinyl, or a colored opaque vinyl. Vinyl lends 5 itself to cost-effective vacuum forming and minimum waste of materials. Further, vinyl is a product that can be recycled. Printing and other forms of affixing messages are generally compatible with vinyl. The use of holograms is also compatible 10 with vinyl, as vinyl will accept most glues and other adhesives.

The gas cap cover 10 is produced by well-known vacuum forming techniques. Injection molding
15 may alternatively be employed if the need for increased strength or other undefined measures arise.

The invention also includes methods for
20 reducing pollution by earning and trading in mobile
emissions reduction credits (MERCs) through the
installation of new gas caps and or gas cap covers
bearing certain advertising and/or environmental
messages.

25

According to the invention, MERCs are earned by an entity based on the number of gas cap covers 10 and/or new gas caps that the entity has installed on automotive fuel tank fill tubes. With respect to the replacement of old, leaky gas caps, credits are awarded based on how many fewer tons of Volatile Organic Compounds (VOCs) will be released into the atmosphere. With respect to the message affixed to each new gas cap, the installing entity

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2423	2424	2425	2426	2427	2428	2429	2430	2431	2432	2
--	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	---

25 In some states, all new cars carry a two-
year safety and/or emission certificate. States
could claim extra pollution reduction credits by
installing message-bearing gas caps or gas cap
covers 10 on new automobiles. Since most cars are
30 driven an average of 15,000 miles per year, after
two years of driving many cars develop emission-
related problems that do not create a noticeable
driveability problem. In other words, an operator
would typically have no way of knowing, after two

years of driving, that his or her vehicle might be emitting unacceptable amounts of pollutants into the atmosphere. Therefore, a gas cap or gas cap cover 10 that includes a simple reminder for such vehicle operators to have their vehicle tuned up or to have its emissions checked by a certain date could be installed on each new vehicle. Under this type of program, the entity providing the caps or covers could qualify for extra pollution reduction credits from the EPA. A gas cap or gas cap cover 10 exchange program could also be used to develop a general maintenance awareness program for all vehicles and, again, could qualify the State to receive extra MERCs.

15

The EPA could also use a system of this type to help deliver their public service messages.

For example, working with auto makers, a gas cap or gas cap cover 10 could be used to send a message such as "Give a Hoot, Don't Pollute." For example, such a message may be included on a message-bearing element such as a label, shown at 30 in Figs. 1 and 3, affixed to a surface of a gas cap cover 10.

25

The message-bearing element may be configured to display a message formulated to influence the vehicle operator to take any one or more of a number of different actions. For example, Government and private entities can use the exterior surfaces and interior surfaces of the above-described gas cap cover 10, or the gas cap itself, to deliver messages to the public. These surfaces will be able to accept such message-carrying structures as decals, stickers, paints,

foils, laminates, inks, overlays. In addition, the message-carrying element may comprise a portion of the gas cap cover shell.

5 Service marks, trademarks, icons, logos, or trademark and copyright symbols could be affixed to the gas cap cover to identify a company that sells or markets any goods or services. Business addresses or locations, service performed,
10 telephone numbers or products sold may also be displayed. In addition, advertising messages implying that a certain product is superior such as "Please use Texaco® gas" may be affixed to the gas cap cover. More than one message may be applied,
15 such as: "Check your oil," "use Pennzoil®."

 The message on the cap cover 10 may also carry information regarding discounted services such as "\$3.00 off at Jiffylube®", or an
20 environmental awareness message such as "Do your share for cleaner air," "Don't Mess with Texas," or "Tune up your car Today." The cap cover may also bear state hot line telephone numbers for environmental concerns.

25 The cap cover 10 may also carry messages reminding vehicle owners of state requirements such as "Safety Inspection due (month and year)." Such reminder messages could be used to complement
30 emission program messages that States develop such as "Texans doing their share for cleaner air."

 Benefits of the present invention include a reduction in paper advertising expenses for

09742496 122200

entities that use the gas cap cover to get their message out. In addition, private entities that participate in gas cap replacement programs can boast of their participation in an environmentally friendly activity.

The EPA has featured public service messages on television that state that a gas cap has a useful life of approximately three years.

10 Therefore, government or private entities could earn pollution-reduction credits by requiring and/or installing gas caps that bear their own expiration date, i.e., three years from the date of first use on an automobile. When a private entity,

15 such as an automotive engine-oil replacement facility, provides the message-bearing caps during the course of a regular oil change, the caps may also carry an advertisement for that private entity. The new caps may also include information

20 reminding the vehicle operator when he or she should return for his or her next oil change. The private entity may then establish a program to automatically replace gas caps at regular intervals in conjunction with future oil changes. Vehicle

25 owners will view these messages an average of 3.5 times a week, 104 times a year and 312 times during the useful life of each gas cap. A gas cap replacement program of this type would provide a private entity with the double benefit of providing

30 advertising benefit and earning pollution reduction credits.

According to the invention, entities that can reduce large amounts of pollution at very low

00222T" 98484260

cost by merely replacing gas caps at regular intervals, can sell the pollution-reduction credits they've earned to point sources. The "gas cap replacers" can sell the credits at a price greater
5 than their cost and less than what it would cost the purchaser to reduce an equivalent amount of emissions. Therefore, through open market trading, the point sources, who must often spend vast amounts of money to effect incremental reductions
10 in emissions, can use the purchased credits to meet their own emission-reduction requirements.

An example of how pollution-reduction credits can be calculated for a private entity that
15 implements a gas cap replacement and/or give-away program is as follows:

1. The entity removes the old gas cap (if there is one) and replaces it with new gas cap.
20
2. The entity tracks the identity of each vehicle receiving a new gas cap by recording each vehicle's identification number and records which vehicles were missing gas caps.
25
3. The entity has each vehicle owner sign a statement verifying that the entity has installed a new gas cap on his or her vehicle and also stating whether or not the vehicle
30 was missing a gas cap when the new gas cap was mounted.
4. The entity collects and tests all of the old caps, recording their respective leakage rates

09743496 123300

and/or failure rates.

5. The entity uses an EPA-approved formula to calculate the tonnage of emissions that the vehicles would have released through the old caps had the entity not replaced the old caps.
6. The entity estimates the tonnage of emissions that vehicles without caps would have released by multiplying an average emission value for all the old caps by 6.
7. The entity then calculates and records a total MERC value as being the sum of the projected emission reduction tonnage of the vehicles that had gas caps and the projected emission reduction tonnage of the vehicles that did not have gas caps.
8. The entity may then multiply the emission reduction tonnage by an EPA-determined "present value" of an ERC or a MERC. The GAO calculates the present value of an emission credit based on information the GAO has collected on the average cost of reducing emissions. The GAO has calculated the present value of a MERC to be approximately \$6500. Therefore, if the projected emission reduction tonnage for the gas cap replacement program was, for example, 51 tons, then the total MERC value would be \$331,500.00 (51tons x \$6500.00). Therefore, an ERC or a MERC may be expressed either in units of tons of emission

003496 12200
00222T 9643460

reduction or in units of dollars per ton of emission reduction.

States, rather than federal or local
5 governments, usually administer mobile source
emission reduction. However, if a company so
desired, it could go outside the confines of the
SIP to trade for and/or gather MERCs from elsewhere
in the country. Again, gas cap and gas cap cover
10 replacement systems are a cost-effective way to do
this. By implementing a system according to the
invention, with administration and purchase costs,
entities can reduce pollution at an average cost of
\$125.00 per ton - far less than the \$6500 per ton
15 present value established by the GAO.

By organizing as a not-for-profit
corporation, it is possible for an entity to donate
money to environmental awareness projects. Such
20 donations are tax deductible. In addition, a non-
profit entity of this type could advertise and earn
MERCs by giving away gas caps bearing the company
logo. The entity could then turn around and sell
the MERCs to companies, e.g., point source
25 polluters, that are in need of emission reduction
credits to meet emission reduction standards. In
this way, cost savings could be passed on to the
company that purchases these reduction credits so
long as it is less expensive to purchase the
30 credits than it is to install the costly emission
reduction devices necessary to reduce the MERC-
purchasing company's own emissions by an equivalent
amount.

002221 0000000000

00222T" 25434260

Currently, approximately 92% of all cars have gas caps on them - most of those caps being original equipment. Most members of the public will therefore view a gas cap whenever they fuel their cars. Most members of the public refuel their cars an average of 3.5 times a week. If messages were affixed to the gas caps, the average car owner would view the message on his or her gas cap about 105 times a year. Therefore, among other things, the present invention includes a cost effective, common sense way to repeatedly expose the public to a message - a message that can be used, among other things, to increase public participation in inspection and maintenance (I&M) programs (such as replacing old gas caps) as well as to encourage the purchase of a particular product. According to the open market pollution reduction credit training method of the present invention, the entity providing the gas caps may also take earn pollution reduction credits.

The inventor's notes included in the attached appendix contain a further disclosure of the invention. I intend to include the appendix as part of this provisional patent application.

This is an illustrative description of the invention using words of description rather than of limitation. Obviously, many modifications and variations of this invention are possible in light of the above teachings.